L Number	Hits	Search Text	DB	Time stamp
-	30	(database$1 NEAR1 cache$1) AND (international AND business AND machine$1).as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:25
-	81	(database$1 NEAR1 cache$1) AND 707/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:17
-	60	((database$1 NEAR1 cache$1) AND 707/$.ccls.) NOT ((database$1 NEAR1 cache$1) AND (international AND business AND machine$1).as.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:17
-	206	database$1 NEAR1 cache$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:34
-	20	(joon AND hwang).xa.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:50
-	5	("5355497" | "5367671" | "5799318" | "5907837" | "5978791").PN.	USPAT	2002/11/11 17:28
-	86	(database$1 NEAR1 cache$1) AND (determin$3 NEAR6 cache$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:35
-	43	((database$1 NEAR1 cache$1) AND (determin$3 NEAR6 cache$1)) AND network$3 AND remote$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:54
-	22375	cache.ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:54
-	971	cache.ti,ab. AND (international AND business AND machine$1).as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:57
-	77	(cache.ti,ab. AND (international AND business AND machine$1).as.) AND 707/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:55
-	151	cache.ti,ab. AND (microsoft$1).as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 17:57
-	2	6356863.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:47
-	256	virtual NEAR2 file$1 NEAR system$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 17:15
-	305	virtual NEAR2 file$1 NEAR2 system$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:54
-	118	(virtual NEAR2 file$1 NEAR2 system$1) AND manager$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:54

C:\APPS\EAST\workspaces\case\2000\09733314.wsp

-	80	((virtual NEAR2 file$1 NEAR2 system$1) AND manager$1) AND distributed!	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:54
-	76	(((virtual NEAR2 file$1 NEAR2 system$1) AND manager$1) AND distributed!) AND network$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:57
-	19	((((virtual NEAR2 file$1 NEAR2 system$1) AND manager$1) AND distributed!) AND network$1) AND (load$3 NEAR2 balanc$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 17:08
-	73	virtual NEAR2 file$1 NEAR system$1	US-PGPUB	2002/11/12 17:08
-	98	virtual NEAR2 file$1 NEAR2 system$1	US-PGPUB	2002/11/12 17:08
-	360	(virtual NEAR2 file$1) NEAR4 system$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:26
-	256	((virtual NEAR2 file$1) NEAR4 system$1) AND manage$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 17:16
-	20	(((virtual NEAR2 file$1) NEAR4 system$1) AND manage$5) AND (load$3 NEAR2 balanc$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:28
-	3	6081883.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:22
-	13	("5163131" | "5355453" | "5537585" | "5561809" | "5802366" | "5848293" | "5864554" | "5915094" | "5933603" | "5995708" | "6081883" | "6119150" | "6275953").PN.	USPAT	2002/11/12 18:24
-	136	((virtual NEAR2 file$1) NEAR4 system$1).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:27
-	0	(((virtual NEAR2 file$1) NEAR4 system$1).ti,ab.) AND (load$3 NEAR2 balanc$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:28
-	6164	distribut$4 NEAR6 ((file$1 NEAR2 system$1) OR database$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:51
-	419	(distribut$4 NEAR6 ((file$1 NEAR2 system$1) OR database$1)) AND (parallel NEAR10 ((file$1 NEAR2 system$1) OR database$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:52
-	5	((distribut$4 NEAR6 ((file$1 NEAR2 system$1) OR database$1)) AND (parallel NEAR10 ((file$1 NEAR2 system$1) OR database$1))) AND (virtual NEAR3 file$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:54
-	1737	(virtual NEAR3 file$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:54
-	1009	((virtual NEAR3 file$1)) AND manage$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:55
-	539	(((virtual NEAR3 file$1)) AND manage$5) AND (distribut$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 18:55

-	52	((((virtual NEAR3 file$1)) AND manage$5) AND (distribut$4)) AND (load$3 NEAR4 balanc$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:04
-	14424	load$3 NEAR2 balanc$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 19:37
-	5252	(load$3 NEAR2 balanc$3) AND distribut$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 19:37
-	476	((load$3 NEAR2 balanc$3) AND distribut$4) AND (parallel NEAR2 process$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 19:38
-	118	(((load$3 NEAR2 balanc$3) AND distribut$4) AND (parallel NEAR2 process$3)) AND (distribut$4 NEAR4 (file$1 OR database$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 19:38
-	23958	(load$3 NEAR4 (balanc$3 OR distribut$4)).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:05
-	17791	(load$3 NEAR2 (balanc$3 OR distribut$4)).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:05
-	5	((load$3 NEAR2 (balanc$3 OR distribut$4)).ti,ab.) AND (virtual NEAR2 file$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:08
-	45	(virtual NEAR2 file$1) AND (load$3 NEAR4 (balanc$3 OR distribu$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:18
-	378	(virtual NEAR2 file$1) AND ((storage$1 OR database$1) NEAR10 (client$1 OR user$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:18
-	15	((virtual NEAR2 file$1) AND (load$3 NEAR4 (balanc$3 OR distribu$4))) AND mover$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:24
-	10	((virtual NEAR2 file$1) AND (load$3 NEAR4 (balanc$3 OR distribu$4))) AND bypass$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:24
-	1	(((virtual NEAR2 file$1) AND (load$3 NEAR4 (balanc$3 OR distribu$4))) AND mover$1) AND bypass$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 20:24
-	2	6324581.pn. AND mover$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:29
-	0	6324581.pn. AND multicast$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:28
-	1	(6324581.pn. AND mover$1) AND updat$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:28

-	1	6324581.pn. AND (mover$1 NEAR8 updat$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:31
-	2	6324581.pn. AND (mover$1 NEAR8 metadata)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:34
-	1	6324581.pn. AND (mover$1 NEAR10 metadata) AND (mover$1 NEAR10 (updat$3 OR chang$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 15:20
-	44	(virtual NEAR4 file$1) AND (multicast$3 OR (multi ADJ1 cast$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:56
-	0	((virtual NEAR4 file$1) AND (multicast$3 OR (multi ADJ1 cast$3))) AND (parralel NEAR4 process$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:53
-	16	((virtual NEAR4 file$1) AND (multicast$3 OR (multi ADJ1 cast$3))) AND (parallel NEAR4 process$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:54
-	652	((multicast$3 OR (multi ADJ1 cast$3)) NEAR4 protocol$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:57
-	514	((multicast$3 OR (multi ADJ1 cast$3)) NEAR2 protocol$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:57
-	37	(((multicast$3 OR (multi ADJ1 cast$3)) NEAR2 protocol$1)) AND (parallel NEAR4 process$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:58
-	1	6324581.pn. AND ((mover$1 NEAR10 metadata) NEAR10 exchang$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:08
-	1	6324581.pn. AND cach$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 15:23
-	1	6081883.pn. AND cach$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 15:29
-	2	5948062.pn. AND load$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 15:33
-	1	6453323.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 16:16
-	8	("5469560" | "5692155" | "5758190" | "5768620" | "5813042" | "5968182" | "6088815" | "6304980").PN.	USPAT	2002/11/13 15:56
-	0	6304980.pn. AND geographical$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 16:17

C:\APPS\EAST\workspaces\case\2000\09733314.wsp

-	2	6442548.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 16:38
-	2	5937406.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 17:38
-	0	5937406.pn. AND cach$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 18:00
-	1	5937406.pn. AND memor$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 18:01
-	0	6304967.pn. AND translat$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 10:50
-	3	6081883.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:17
-	1	6081883.uref. AND translat$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 10:52
-	13	("5163131" | "5355453" | "5537585" | "5561809" | "5802366" | "5848293" | "5864554" | "5915094" | "5933603" | "5995708" | "6081883" | "6119150" | "6275953").PN.	USPAT	2002/11/14 11:15
-	172	(front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
-	161	((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)) AND (distribut$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:18
-	108	(((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)) AND (distribut$4)) AND remot$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:19
-	50	(((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)) AND (distribut$4)) AND (remot$2 NEAR4 (site$1 OR server$1 OR database$1 OR storage$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:37
-	38	((((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)) AND (distribut$4)) AND (remot$2 NEAR4 (site$1 OR server$1 OR database$1 OR storage$1))) AND parallel	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:20
-	12	((((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)) AND (distribut$4)) AND (remot$2 NEAR4 (site$1 OR server$1 OR database$1 OR storage$1))) NOT ((((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1)) AND (distribut$4)) AND (remot$2 NEAR4 (site$1 OR server$1 OR database$1 OR storage$1))) AND parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
-	1105	multi ADJ1 tier$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36

C:\APPS\EAST\workspaces\case\2000\09733314.wsp

-	12	(multi ADJ1 tier$1) AND ((front ADJ1 end$1) AND (back ADJ1 end$1) AND network$3 AND (file$1 NEAR2 server$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
-	29320	(remot$2 NEAR4 (site$1 OR server$1 OR database$1 OR storage$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:37
-	87	((remot$2 NEAR4 (site$1 OR server$1 OR database$1 OR storage$1))) AND (multi ADJ1 tier$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:38
-	1	5692155.pn. AND kilometer$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 12:25
-	0	5692155.pn. AND search$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 12:25
-	0	5692155.pn. AND mapping	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 12:26
-	22	5692155.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 17:47
-	17	5692155.uref. AND address$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 17:52
-	48	(secondary NEAR2 device$1) AND (ip NEAR2 address$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 17:53
-	14	((secondary NEAR2 device$1) AND (ip NEAR2 address$2)) AND backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:03
-	3	(((secondary NEAR2 device$1) AND (ip NEAR2 address$2)) AND backup) AND (differen$3 NEAR10 (ip NEAR2 address$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:23
-	0	((((secondary NEAR2 device$1) AND (ip NEAR2 address$2)) AND backup) AND (differen$3 NEAR10 (ip NEAR2 address$2))) AND search$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:21
-	12223	search$3 NEAR10 (backup OR second$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:23
-	1748	(search$3 NEAR4 (file$1 OR data)) NEAR10 (backup OR second$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:24
-	149	(search$3 NEAR4 (file$1 OR data)) NEAR10 (backup OR (second$3 NEAR2 (storage$1 OR device$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:26
-	3	((search$3 NEAR4 (file$1 OR data)) NEAR10 (backup OR (second$3 NEAR2 (storage$1 OR device$1)))) AND ip	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:26

C:\APPS\EAST\workspaces\case\2000\09733314.wsp

-	6	((search$3 NEAR4 (file$1 OR data)) NEAR10 (archiv$3 OR (second$3 NEAR2 (storage$1 OR device$1)))) AND ip	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:29
-	191	(search$3 NEAR4 (file$1 OR data)) NEAR10 (archiv$3 OR (second$3 NEAR2 (storage$1 OR device$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:39
-	76	707/204.ccls. AND (search$3 NEAR4 file$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:47
-	1	(707/204.ccls. AND (search$3 NEAR4 file$1)) AND failover	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 18:40
-	5804	(broadcast$3 OR multicast$3) NEAR8 (search$3 OR request$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:16
-	49	(broadcast$3 OR multicast$3) NEAR8 (search$3 NEAR4 request$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:16
-	83	4914571.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:10
-	7	4914571.uref. AND (search$3 NEAR2 file$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:10
-	2	5729736.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:15
-	6055	(broadcast$3 OR multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:16
-	668	(multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:21
-	29	((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)) AND 707/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:17
-	238	((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:14
-	5	(((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)).ti,ab.) AND ((search$3 OR quer$4 OR request$3) NEAR4 file$1).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:22
-	51	(((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)).ti,ab.) AND distributed	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:27
-	7	(((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)).ti,ab.) AND ((search$3 OR quer$4 OR request$3) NEAR4 (database$1 OR storage$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:27

C:\APPS\EAST\workspaces\case\2000\09733314.wsp

-		5	("5390313" | "5463578" | "5819310" | "5832522" | "5892914").PN.	USPAT	2002/11/14 19:29
-		95	((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)) AND ((search$3 OR quer$4 OR request$3) NEAR4 (database$1 OR storage$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:42
-		155	((search$3 OR quer$4 OR request$3) NEAR6 (fail$2)) NEAR20 ((search$3 OR quer$4 OR request$3) NEAR4 (database$1 OR storage$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:46
-		6	(((search$3 OR quer$4 OR request$3) NEAR6 (fail$2)) NEAR20 ((search$3 OR quer$4 OR request$3) NEAR4 (database$1 OR storage$1))) AND (failover OR (fail ADJ1 over))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:47
-		83	4914571.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:01
-		0	5729736.pn. AND multicast$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:14
-		0	5729736.uref. AND multicast$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:14
-		29	((multicast$3) NEAR8 (search$3 OR request$3 OR quer$3)) NEAR10 (database$1 OR storage$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:16
-		30	((multicast$3 OR (multi ADJ1 cast$3)) NEAR8 (search$3 OR request$3 OR quer$3)) NEAR10 (database$1 OR storage$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:18
-		22	((multicast$3 OR (multi ADJ1 cast$3)) NEAR8 (search$3 OR request$3 OR quer$3)) NEAR20 ((multicast$3 OR (multi ADJ1 cast$3)) NEAR10 (database$1 OR storage$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:21
-		23	(search$3 OR quer$4 OR request$3) NEAR10 file$1 NEAR10 (multicast$3 OR (multi ADJ1 cast$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:25
-		28	(search$3 OR quer$4 OR request$3) NEAR10 (database$1 OR storage$1) NEAR10 (multicast$3 OR (multi ADJ1 cast$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:37
-		6	(((search$3 OR quer$4 OR request$3) AND (database$1 OR storage$1) AND (multicast$3 OR (multi ADJ1 cast$3))).ti,ab.) AND file$1.ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:29
-		67	((search$3 OR quer$4 OR request$3) AND (database$1 OR storage$1) AND (multicast$3 OR (multi ADJ1 cast$3))).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:30
-		10	(ip NEAR2 address$2) NEAR10 different NEAR10 subnet	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:05
-		1	5870537.pn. AND location$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:19

-	2	5870537.pn. AND address$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:33
-	0	("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:07
-	5	(search$3 OR quer$4 OR request$3) NEAR10 (database$1 OR storage$1) NEAR10 (point NEAR4 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:38
-	3	(search$3 OR quer$4 OR request$3) NEAR10 (database$1 OR storage$1) NEAR10 (point-to-point NEAR4 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 21:38

C:\APPS\EAST\workspaces\case\2000\09733314.wsp